# Health information system concept in health services in the national health insurance (JKN) era in Indonesia: An environment and one health approach

by Meita Veruswati

**Submission date:** 07-Apr-2023 09:57AM (UTC+0700)

**Submission ID: 2058087182** 

**File name:** fpubh-10-952415.pdf (783.55K)

Word count: 4480 Character count: 26237





### OPEN ACCESS

EDITED BY Gulzar H. Shah, Georgia Southern University, United States

REVIEWED BY Iwan Dewanto, Muhammadiyah University of Yogyakarta, Indonesia Amir Faisal, Sumatra Institute of Technology, Indonesia Simon Grima, University of Malta, Malta

\*CORRESPONDENCE Al Asyary al.asyary@ui.ac.id

SPECIALTY SECTION
This article was submitted to
Digital Public Health,
17 ction of the journal
Frontiers in Public Health

RECEIVED 25 May 2022
ACCEPTED 20 September 2022
PUBLISHED 13 October 2022

### CITATION

Herawati MH, Idaiani S, Maryati, Fitriana, Lucitawati, Veruswati M, Hoekstra K and Asyary A (2022) Health information system concept in health services in the national health insurance (JKN) era in Indonesia: An environment and one health approach. Front. Public Health 10:952415. doi: 10.3389/fpubh.2022.952415

copyriGHT

9 2022 Herawati, Idaiani, Maryati,
Fitriana, Lucitawati, Veruswati,
Hoekstra and Asyary. This is an
13 h-access article distributed under
the terms of the Creative Commons
Attribution License (CC BY). The use,
28 ibution or reproduction in other
orums is permitted, provided the
original author(s) and the copyright
27 er(s) are credited and that the
original publication in this journal is
111. In accordance with accepted
academic practice. No use, distribution
or reproduction is permitted which
does not comply with these terms.

## Health information system concept in health services in the national health insurance (JKN) era in Indonesia: An environment and one health approach

Maria Holly Herawati<sup>1</sup>, Sri Idaiani<sup>1</sup>, Maryati<sup>2</sup>, Fitriana<sup>1</sup>, Lucitawati<sup>1</sup>, Meita Veruswati<sup>3</sup>, Karina Hoekstra<sup>4</sup> and Al Asyary<sup>5</sup>\*

<sup>1</sup>National Research and Innovation Agency, Jakarta, Indonesia, <sup>2</sup>Health Sciences College of Abdi Nusantara, Jakarta, Indonesia, <sup>3</sup>Faculty of Health Science, Universitas Muhammadiyah Prof. Dr. HAMKA (UHAMKA), Jakarta, Indonesia, <sup>4</sup>Institut für Informationsmanagement Bremen (IFIB), University of Bremen, Bremen, Germany, <sup>5</sup>Department Environmental Health, Faculty of Public Health, Universitas Indonesia, Depok, Indonesia

The health information system is a component of the healthcare system. The health information system in health services in Indonesia has experienced many problems in getting support for policy making, the implementation of the industrial revolution 43, and national health insurance (JKN). To answer the above problems, it is necessary to make a concept of health information systems in health services that based on environment and one health perspectives. This research was part of the thematic research of the 2019 JKN National Health Facilities Survey (Rifaskes) in Indonesia. The systems approach and cross-sectional research were carried out by collecting quantitative da A structural equation model with Lisrel 88 software was used to model the health information system. The health information system produced a concept that included the following structured input components: governance, human resources, infrastructure, types of information system (IS) grogram, JKN, management), and financing; process components: funding, technical guidance, and verification and validation; and output component open access, standards and quality, utilization, bridging, and security. The concept for strengthening the health information system prioritizes improving the output components (standards, utilization, bridging, open access, and security) in the process components (funding, verification, technical guidance) while the gput components (financing, human resources, governance, IS programs, infrastructure, IS JKN, IS management).

### KEYWORD

health information system (HIS), health service, national health insurance, public health, one health approach

### Introduction

Indonesia implements sustainable development in the health sector based on the principle of non-discrimination. Sustainable development is gins with strengthening the system, which in this case is the health information system. The health information system can only be the basis for decision-making if the data is accurate, open, and interoperable, which was called one data in 2018 (1-6). The health information system in Indonesia faces several problems: Indonesia is currently still implementing the industrial era 4.0, while the world is already in the industrial era 6.0; information systems have not yet been merged or are not interoperable, both in the implementation of routine information systems and in implementing JKN; and time is not spent prioritizing developing technology, developing open standards, and managing security and privacy in health information systems (7-14).

In this case, the Ministry of Health is like a organization, where this organization has service efforts in the form of hospitals, health centers, and clinics. The Ministry of Health also has administrative management at each level, from the central administration all the way to the smallest sub-district. Health service efforts with these administrations aim to make health services more accessible for communities in order to promote a healthy society (14, 15). To achieve its goals, the healthcare organization requires costs, technology, and planning as part of the identification of critical success factors. Improving the quality, accessibility, and sustainability of health services as well as increasing the availability and quality of health data or information and changes in the world in various sectors have an impact on health services in general and health information systems in particular (16).

In this article we propose an environment and one heal framework for developing a high-level prospective concept of the implementation of health information systems in healthcare organizations. Based on the existing fraze work, we identified several critical dimensions that exist in the health information system, namely, management, financing a uman resources, infrastructure, and the types of existing information systems (management information systems, program information systems, and JKN information systems) as an effort to achieve national health goals at the sub-district, district, provincial and national levels. This captures two important characteristics in the healthcare delivery process: the level of mediation and the level of internal and external collaboration.

### Materials and methods

### Ethical approval

This paper was developed based on the results of research on health information systems with Ethics Permit LB.02.01/2/KE.186/2019 (10).

### Research period and location

The study was conducted in 2019 (July–December) in 7 provinces (Aceh, West Kalimantan, Central Sulawesi, South Sulawesi, NTB, West Java, and West Papua) in 103 districts with 420 healthcare units (400 health centers and 20 hospitals) (10). The selected study's location is regarded to Indonesia's representative multi-stage clustered sampling technique.

### Research question


What is a mathematical concept for implementing the health information system in the implementation of JKN in Indonesia?

### Data collection

This paper was part of the thematic research on health information systems in Health Facility Research 2019 and used the cross-sectional method. Quantitative data collectors used questionnaires that have been tested in their work. These tested instruments were checking its validity and reliability result before it was done to collect the information in healthcare facilities. Respondents were service officers of both hospitals and health centers who handled management data, program data, and JKN data. The questionnaire's structure followed that of the system research, which included input, process, and output categories. Inputs consisted of internal (HR, governance/leadership, infrastructure, financing, types of health services, management information systems, program information systems, and JKN information systems) and external (Border Remote Areas and Islands (DTPK) fiscal capacity) topics. Processes covered funding, technical guidance, and verification. And outputs consisted of quality standards, data utilization, bridging/interoperability, open access, and security. The researchers used a generic health facility research data collection team that had been retrained for the purposes of this thematic data collection. Researchers supervised the collections twice to maintain the quality of the research.

### Data analysis

The analysis required structural equation modeling using the Lisrell method (16). The first step of our modeling was to normalize all variables, and after all variables were normal, then a good initial estimate was made of the latent component of the input with several forming variables (management, human resources, infrastructure, funding, management information systems, and program information systems, information on JKN, types of health services, health service facilities according to DTPK status, fiscal capacity status), the latent component



of the process with several forming variables, and the latent component of the output with several forming variables. The input latent was an exogenous variable (X), and the process latent was an endogenous variable. For the next modeling, the process latent was an exogenous variable for the latent output, which was the final endogenous variable (Y).

### Results

The research revealed several very useful findings, which were largely missing in existing literature. Several variables formed the input component: leadership/governance, human resources, infrastructure, funding, management information systems, program information systems and JKN information systems, types of health services, health service facilities according to DTPK status, fiscal capacity status. Thus, the variables of monitoring and evaluation, technical guidance, and verification and evaluation form the components of the process. Furthermore, the standard and quality variables, data utilization, bridging and interoperability, open access and security, formed the output components (Figure 1).

### Input modeling

Information system modeling is essentially input modeling with several steps, namely, making an initial estimate and making a final estimate. The final estimation results of indicators that met the requirements of good validity were governance, human resources, infrastructure, funds, IS management, IS Program, and IS JKN [absolute value of Standardized Factor Loading (SFL) > 0.50]. However, several indicators had an SFL

< 0.50 (DTPK, Fiscal, and Type of Health Facility) and were thus be excluded from the measurement model (Figure 2).

### Process modeling

The process modeling shows the initial estimation and final estimation of the indicators that comprised the process components that met the requirements for entering the measurement model. The three indicators that comprised the process component can be seen in the (Figure 3).

### Output modeling


Output modeling produces initial estimates of 5 constituent variables.


The Path Diagram shows that the SFL of Standard, Utilization, Bridging, Open Access, Security  $\geq 0.50$ . The five indicators are valid indicators for the output variable. The next modeling forms a full model using the inputs, processes, and outputs and considers SFL, composite reliability, and validity. The (Table 1) and (Figure 4) below show the full fit model.

### Structural model analysis

The (Figure 5) below illustrates the structural model and the results of the analysis. The (Table 2) below presents t values and coefficients.

From the Table 2 above, it can be interpreted that the results of the modeling analysis indicate that the health information





system would be ready to be implemented with improvements in the outputs, then inputs, and then the processes. This means that the health information system already exists, but the output needs improvement in monitoring and evaluation and verification and validation, while the recommended output is improvement in output starting from open access, utilization, standards, bridging, and security. The input components to the press need to be improved in HR, Health Information System Governance, IS program, Infrastructure, Funds, IS JKN, and IS management.

### Discussion

The results showed that the indicators of leadership/governance, HR, infrastructure, financing, IS management, IS Program, and IS JKN comprise the input

components of the health information system in this modeling. Regulations that relate to the results of this study are the 2012 National Health System (SKN, 2012) article 2 paragraph 1, which states that health information is part of health management. Furthermore, Article 3 states that in the management system includes health information and regulation. In the implementation of the JKN health information system at the public health center, the health information system was constrained by the lack of internet and human resources (17). To control the implementation of information systems in an organizational system, human resources and technology are important (18-20). Likewise, an organization must prepare human resources to adapt to face problems in the implementation of the system, especially information systems (21). Improvi the health information system requires 3 components: the performance of the information system, which in this paper is included as infrastructure; the support

TABLE 1 Results of measurement model analysis.

Indicator variables	Standardized factor loading (SFL)	Composite reliability (CR) Variance extra (VE)	Conclusion
INPUT		CR = 0,91;	Good validity
		VE = 0,59	15
Governant	0,91		Good validity
Human resources	1,00		Good validity
Infrastructure	0,72		Good validity
Fund	0,69		Good validity
Management IS	0,50		Good validity
Program IS	0,83		Good validity
JKN IS	0,61		Good validity
Process		CR = 0.91;	Good reliability
		VE = 0,77	12
Technical guidance	0,90		Good validity
Verification & validation	0,71		Good validity
Monitoring evaluation	1,00		Good validity
OUTPUT		CR = 0.99;	Good reliability
		VE = 0.94	12
Standard	0,99		Good validity
Utilization	0,98		Good validity
Bridging	0,97		Good validity
OpenAccess	1,00		Good validity
Security	0,90		Good validity

CR, Composite Reliability; VE, Variance Extracted. CR 0.70 and VE 0.50 Good Reliability.


organization, which is termed in this paper as governance; and feedback from the health facilities as end-user. All three are necessary for a proce 8 to maintain quality (22).


In implementing the health information system at the health office, there were problems with human resources, supporting facilities, and commitment from the activity leaders who had not been trained to understand good data and information management (23, 24). As an analogy for this result from previous study on implementing the health information system at the Minahasa District health office, the manager of the health information system said that the most frequent obstacles were puskesmas reporting late, carrying out manual reporting, having no guidelines, lacking human resources in the field of health information systems (HIS), and lacking training, funds, facilities, and infrastructure (electricity, computers and internet) (25).

Further modeling finds that several indicators that make up the process components are technical guidance, monitoring, and evaluation as well as verification and validation. In some cases of recording and reporting systems, if there is no monitoring by village supervisors and program holders, it will usually be late. Because it is late, the head of the puskesmas often does not have time to check and dispose of it. Thus, it is signed and reported to the health office (11, 25). The results of other studies also stated that there was a need for agreement on the use of terminology standards so

that the integration of various data sources can be done electronically (26).

The results of modeling the output components revealed the vital indicators of standards, utilization, bridging, open access, and security. The final modelers with the highest influence are HR, governance, program, infrastructure, funds, IS JKN, and management. In the process component, it is necessary to successively improve the health information system in monitoring and evaluation, technical guidance, verification and evaluation. Meanwhile, the output components are open access, standards, PE, the use of bridging, and security. Several studies have found that health information systems need bridging or interoperability. Too many health centers using health information systems require u 20 to enter the same health data repeatedly, especially about the patient's social identity and clinical data, which makes the work inefficient (27). There needs to be a web-service-based bridging system development concept developed from the results of the prototype design of this health service information center that can meet user requests, such as users getting information on doctor's schedules, hospitalization, total blood stock nationally, pharmacies, reporting in the event of a disease outbreak, and reporting health agencies that have poor service (28). With the implementation of an information system with the web, the input of the health information system will be to ell documented in the system (18). Another study stated that the existing health information system has





not run well because the recording and reporting proce 10 still done manually, there is a lack of data security and a lack of data integration, and the information produced is not in accordance with the needs for decision-making (29). The design of the HIS at WEB-based mobile health centers overcomes the inability to provide the required information quickly, accurately, and on time manually through the information system (3)

The health information system is a means to support health services provided to the community. An effective health information system provides information support for the decision-making process at all levels, even at puskesmas or small hospitals. Not only data, but also complete, precise, accurate, and fast information can be presented with a wellorganized and well-implemented health information system (16,
31). The health information system must have secure conditions
(32). The results of several research projects suggest that the
implementation of health information system integration will
be carried out with policy support (33). Technology, which
is part of the infrastructure in the input in this study, will
facilitate the steps needed to achieve the output (33). In the
health information system, data standardization is needed (34).
Some studies argue that routine data is vital in making decisions
as a basis for policy determination (34, 35). Another article
mentions the role of doctors have in implementing health
information systems (HR) in health services by improving the

TABLE 2 Results of structural model analysis.

Path	t-value	Coefficient	Conclusion
$Input \rightarrow Process$	21.84	0.93	Significant positive
$Process \rightarrow Output$	41.23	0.99	Significant positive

quality of health information systems as an effort to improve health services (36). Health information technology is indeed not the only effort to complete an information system, but it needs other components such as timely, complete, and accurate data as well as support from organizations such as feedback on reports and so on (37). This all will certainly affect the quality of information system data (38).

### Conclusion

The health services concept in the JKN era for strengthening the health information system that based on environment and one health approach is formulated by each components including standardized and utilized input, process, and output. These can include factors such as bridging, open access, and security. In process, the recommend strengthening components, especially funding, verification technical guidance. It is also important to strengthen input components: funding, human resources, governance, information system programs, infrastructure, JKN information systems, and information system management.

### 7 Data availability statement

The raw data supporting the conclusions of this article will be made available by the authors, without undue reservation.

### **Ethics statement**

The study was 18 oved by the Institutional Ethics Committee of (LB.02.01/2/KE.186/2019). Written informed consent was obtained from the participants.

### References

- Replubik Indonesia. Peraturan Presiden Nomor 72 Tahun 2012. Tentang SISTEM KESEHATAN NASIONAL (Lembaran Negara Republik Indonesia Nomor) 193 (2012).
- 2. WHO, 2008. Tool Kit Monitoring Health Sistems Strengtening. Health Information Sistem. (2008), p. 19.
- Republik Indonesia. Peraturan Menteri Kesehatan Nomor 46 Tahun 2017. Tentang Strategi E- Kesehatan Nasional (Berita Negara Republik Indonesia Nomor 1635) (2017).
- 4. Republik Indonesia. Peraturan Pemerintah Nomor 46 Tahun 2014. Tentang Sistem Informasi Kesehatan (Lembaran Negara Republik Indonesia Tahun

### **Author contributions**

All authors listed have made a substantial, direct, and intellectual contribution to the work and approved it for publication.

### **Funding**

This research was funded by the National Institute for Health Research and Development, Indonesian Ministry of Health. The publication was 22 funded by the Hibah PUTI UI 5022 (NKB-455/UN2.RST/HKP.05.00/2022). The funders had no role in the design of the study; in the collection, analyses, or interpretation of data; in the writing of the manuscript, or in the decision to publish the results.

### **Acknowledgments**

Our gratitude to all data collecting personnels in this study.



The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

The reviewer ID declared a shared affiliation with the author(s) AA to the handling editor at the time of review.

### Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.

- 2014. Nomor 126, Tambahan Lembaran Negara Republik Indonesia Nomor 5542). (2014)
- 5. Republik Indonesia. Peraturan Presiden Nomor 95 Tahun 2018. Tentang Sistem Pemerintahan Berbasis Elektronik (Lembaran Negara Republik Indonesia Nomor) 18.2. Diakses tanggal 14,092,021 selasa 9,57 di. (2018). Available online at: https://www.republika.co.id/berita/nasional/umum/18/11/26/pissfs383-ksp-perpres-satu-data-indonesia-selesai-akhir-tahun-ini (accessed November 26, 2018).
- Watubun K. Menyongsong Revolusi Industri Fase Ke-5 dan 6, Staging-Point. dari penerbit. Apa itu Industri 4.0 dan Bagaimana Indonsia menyongsongnya Kominfo. Go id Diumduh tanggal. (accessed August 18, 2021).

- Republik Indonesia. Peraturan Menteri Kesehatan Nomor 28 Tahun 2014.
   Tentang Pedoman Pelaksanaan Program Jaminan Kesehatan Nasional (Berita Negara Republik Indonesia Nomor 874) (2014).
- 8. Herawati MH. laporan tematik: Ketersediaan Dan Kesiapan Sistem Informasi Kesehatan Di Pelayanan Kesehatan Dalam Pelaksanaan Jaminan Kesehatan Nasional Di Satu Data. Jakarta: Litbangkes, Kemenkes. (2019).
- Herawati MH. laporan kajian kebijakan: tata kelola sumber daya sistem informasi kesehatan pada pelaksanaan pmk no. 97 tahun 2015. Jakarta: Litbangkes. Kemenkes. (2019).
- Republik Indonesia. Peraturan Pemerintah Nomor 96 Tahun 2014 Tentang Rencana Pitalebar Indonesia 2014 – 2019 (Lembaran Negara Republik Indonesia Nomor220) (2014).
- 11. Republik Indonesia. Peraturan Menteri Kesehatan Nomor 97 Tahun 2015 Tentang Peta Jalan Sistem Informasi Kesehatan Tahun 2015-2019 (berita Negara Republik Indonesia Nomor 77). (2016).
- 12. Republik Indonesia. Undang-Undang Dasar Tahun 1945 (Lembaran Negara Republik Indonesia Nomor 75, 1959).
- 13. Replubik Indonesia. Undang-Undang Nomor 36 Tahun 2009 tentang Kesehatan (Lembaran Negara Republik Indonesia Tahun 2009 Nomor 144, Tambahan Lembaran Negara Republik Indonesia Nomor 5063) (2009).
- 14. Sanjoyo R. *Sistem Informasi Kesehatan*. D3 Rekam Medis FMIPA Universitas Gadjah Mada. (2014). p. 20. doi: 10.33560/.v3i2.86
- 15. Wijanto SH. Stuctural Equation Modeling denganLisrel 8.8 Konsep dan Tutorial, Jakarta: Graha Ilmu. (2008).
- 16. Driyah S, Herawati MH. prosiding Seminar Nasional Kesehatan Masyarakat Universitas Muhamadiyah Surakarta. In: Evaluasi Sistem Informasi Jaminan Kesehatan Nasional (SIK-JKN) di Puskesmas: Sub Study Tematik Rifaskes (2019).
- Soraya I, Adawiyah WR, Sutrisna E. Pengujian Model Hot Fit Pada Sistem Informasi Manajemen Obat di Instalasi Farmasi RSGMP Unsoed Purwokerto. J Ekonomi, Bisnis, Akuntansi. (2019) 21:1–16. doi: 10.33424/jeba.v21i1.1261
- Agustina R, Susilani AT. Evaluasi Sistem Informasi Manajemen Rumah Sakit (SIMRS) pada Bagian Pendaftaran Rawat Jalan dengan Metode HOT-FIT. In: Prosiding Seminar Nasional Multimedia & Artificial Intelligence. (2018).
- Saputra AB. Identifikas Faktor- Faktor Keberhasilan Implementasi Sistem Informasi Manajemen Rumah Sakit. J Penelitian Pers Komunikasi Pembangunan. (2016) 19:135–148. doi: 10.46426/jpjkp.v)193.33
- 20. Khalifa M, Alswailem O. Hospital information systems (HIS) acceptance and satisfaction: a case study of a tertiary care hospital. In: The 5th International Conference on Current and Future Trends of Information and Communication Technologies in Healthcare (ICTH 2015). (2015). doi: 10.1016/j.procs.2015. 08.334
- 21. Kasman K. Pelaksanaan Sistem Informasi Kesehatan (SIK) Dalam Pengelolaan Data Dan Informasi Pada Dinas Kesehatan Kota Pagar Alam Provinsi Sumatera Selatan. *Jurnal Ilmiah Betrik.* (2018) 9:24–34. doi: 10.36050/betrik.v9i01.28
- Pratiwi JD, Rokhman N. Pengembangan Input Sistem Informasi Kesehatan Ibu dan Anak Berbasis Web di RSKIA Bhakti Ibu Yogyakarta. Jurnal Kesehatan Vokasimal. (2017) 1:81–6, doi: 10.22146/fikesvo.275.
- 23. Rondo TV, Pelealu FJ, Maramis FR. Analisis Pelaksanaan Sistem Inforasi Kesehatan Di Puskesmas Kabupaten Minahasa Tenggara. Available online

- at: https://fkm.unsrat.ac.id/wp-content/uploads/2013/08/TIRZANY-RONDO-091511076.pdf (accessed Agustus 18, 2021)
- 24. Sanjaya GY, Hanifah N, Prakosa HK, Lazuardi L. Integrasi Sistem Informasi: Akses Informasi Sumber Daya Fasilitas Kesehatan dalam Pelayanan Rujukan. *J Sisfo*. (2016) 6:51–64. doi: 10.24089/j.sisfo.2016.
- Pramono AE, Rokhman N, Nuryati N. Telaah input data sistem informasi kesehatan dipuskesmas gondokusuman ii kota yogyakarta. J Kesehatan Vokasional. (2018) 334-52. doi: 10.22146/j.kesvo.34249
- 26. Susanto EB, Christianto PA, Kurniawan MF. Sistem informasi layanan kesehatan berbasis mobile yang mengintegrasikan instansi layanan kesehatan di kota pekalongan. J Litbang Kota Pekalongan. (2016) 11.
- Setyadi NA, Hakam,F. Analisis pelaksanaan sistem informasi kesehatan di klinik muhammadiyah medical center (MMC) Universitas Muhammadiyah. J IKESMA. (2015) 11:15–24.
- 28. Agusli R, Sakuroh L. Perancangan Sistem Informasi Kesehatan (Puskesmas Keliling) Berbasis Web. J Sisfotek Global. (2016) 6:47–3.
- 29. Lemma S, Janson A, Persson L-Å, Wickremasinghe D, Kallestal C. Improving quality and use of routine health information system data in low- and middle- income countries: a scoping review. (2020) 15:e0239683. doi: 10.1371/journal.pone.0239683
- 30. Haried P, Claybaugh C, Dai H. Evaluation of health information systems research in information systems research: A meta-analysis. *Health Inform J.* (2019) 25:186–202. doi: 10.117/1460458217704259
- 31. Khubone T, Tlou B, Mashamba-Thompson TP. Electronic health information systems to improve disease diagnosis and management at point-of-care in low and middle income countries: a narrative review. *Diagnostics*. (2020) 10:327. doi: 10.3390/diagnostics10050327
- 32. Georgiou A, Li J, Thomas J, Dahm MR, Westbrook JI. The impact of health information technology on the management and follow-up of test results-a systematic review. J Am Med Inform Assoc. (2019) 26:678–88. doi: 10.1093/jamia/ocz032
- Adane A, Adege TM, Ahmed MM, Anteneh HA, Ayalew ES, Berhanu D, et al. Routine health management information system data in Ethiopia: consistency, trends, and challenges. Global Health Action. (2021) 14:1868961. doi: 10.1080/16549716.2020.1868961
- Jalghoum Y, Tahtamouni A, Khasawneh S, Al-Madadha A. Challenges to healthcare information systems development: the case of jordan. Int J Healthc Manag. (2021) 14:447–55. doi: 10.1080/20479700.2019.1658159
- Keshvari M, Yusefi AR, Homauni A, Omidifar R, Nobakht S. Barriers for the using of information systems in hospitals: a qualitative study. Shiraz E-Med J. (2018) 19x66180. doi: 10.5812/semj.66180
- 36. Endriyas M, Alano A, Mekonnen E, Ayele S, Kelaye T, Shiferaw M, et al. Understanding performance data: health management information system data accuracy in Southern Nations Nationalities and People's Region, Ethiopia. *BMC Health Serv Res.* (2019) 19:175. doi: 10.1186/s12913-019-3991-7
- Busza J, Lemma S, Janson A, Adem SO, Berhanu D, Defar A, Persson LÅ, Källestål C. Strengthening routine health data analysis in Ethiopia: the Operational Research and Coaching for Analysts (ORCA) experience. Global Health Action. (2021) 14:1901390. doi: 10.1080/16549716.2021.1901390
- 38. Habiburrahman H. Model-Model Evaluasi Dalam Sistem Informasi Perpustakaan. In: *Ilmu Perpustakaan Dan Informasi*. (2016).

Health information system concept in health services in the national health insurance (JKN) era in Indonesia: An environment and one health approach

ORIGINA	ALITY REPORT				
	O% ARITY INDEX	18% INTERNET SOURCES	11% PUBLICATIONS	12% STUDENT PA	APERS
PRIMAR	Y SOURCES				
1	Submitte Student Paper	ed to CSU, Long	Beach		3%
2	Submitte Student Paper	ed to Texas Chr	istian Universi	ty	2%
3	reposito Internet Source	ry.unmul.ac.id			2%
4	Submitte School Student Paper	ed to New Hyde	Park Memori	al High	1 %
5	edoc.un				1 %
6	uir.unisa Internet Sourc				1%
7	Submitte Student Paper	ed to Chung Sha	an Medical Un	iversity	1%
8		lah, Fedri Ruluw Wulan Mayasa		•	1 %

Kozo Watanabe. "Evaluation of Health Information System (HIS) in The Surveillance of Dengue in Indonesia: Lessons from Case in Bandung, West Java", International Journal of Environmental Research and Public Health, 2020

Publication

9	www.ssph-journal.org Internet Source	1 %
10	jurnal.unej.ac.id Internet Source	1 %
11	www.scienceopen.com Internet Source	1 %
12	iss.internationaljournallabs.com Internet Source	1%
13	Submitted to National Cheng Kung University Student Paper	<1%
14	oparu.uni-ulm.de Internet Source	<1%
15	Submitted to Adtalem Global Education, Inc.  Student Paper	<1%
16	www.heraldopenaccess.us Internet Source	<1%
17	researchonline.lshtm.ac.uk Internet Source	<1%

18	Submitted to Universitas Mataram Student Paper	<1%
19	eprints.kmu.ac.ir Internet Source	<1%
20	journal.ugm.ac.id Internet Source	<1%
21	Atma Deharja, Meiranda Normarisa Azis, Novita Nuraini, Angga Rahagiyanto, Maya Weka Santi, Muhammad Yunus. "Technology Acceptance Model to Implementation of Electronic Medical Record (EMR's) at Clinic of Rumah Sehat Keluarga Jember", Jurnal Aisyah : Jurnal Ilmu Kesehatan, 2022	<1%
22	f1000research.com Internet Source	<1%
23	pubs.ascee.org Internet Source	<1%
24	www.hfgproject.org Internet Source	<1%
25	Adisu Tafari Shama, Hirbo Shore Roba, Admas Abera Abaerei, Teferi Gebru Gebremeskel, Negga Baraki. "Assessment of quality of routine health information system data and associated factors among departments in public health facilities of Harari region,	<1%

### Ethiopia", BMC Medical Informatics and Decision Making, 2021

Publication

Mrs. Oktamianiza, Deni Maisa Putra, Yulfa Yulia, Yulia Fitriani. "Literature Review of Online Registration System Based On SMS Gateway", Proceeding International Conference on Medical Record, 2021

<1%

Publication

27 Lingfeng Meng, Huimin Hou, Peng Zhang, Yinjun Gu et al. "Sacral neuromodulation remote programming in patients with refractory lower urinary tract dysfunction: China's experience during the COVID-19 pandemic", Frontiers in Medicine, 2023

<1%

28

digitalcollection.zhaw.ch

<1%

Exclude quotes Off

Exclude matches

Off

Exclude bibliography On