



No. 170/CERT.X/ISPST/202

THIS CERTIFICATE IS PROUDLY PRESENTED TO

Anisa Amalia, M.Farm.

AS POSTER PRESENTER

Fourth International Seminar on Pharmaceutical Science and Technology (4th ISPST 2020)

Bandung, October 27th - 28th, 2020



Dean Faculty of Pharmacy







Dr. apt. Nyi Mekar Saptarini, M.Si Chairman of 4th ISPST 2020



SKP IAI ACCORDING TO DECREE NO: SKP.065/PP.IAI/VI/2020









PHYSICAL PROPERTIES AND RATE OF DIFFUSION TRANSETHOSOME CURCUMIN USING TWEEN 60 **AND SPAN 60 AS SURFACTANT**

Anisa Amalia*, Yudi Srifiana, Amalia Anwar Faculty of Pharmacy and Science, Universitas Muhammadiyah Prof. DR. HAMKA

Background and Objectives

Curcumin is a yellow compound in turmeric (Curcuma Curcumin is a yellow compound in turmeric (Curcuma longa Linn), and has activities such as antimicrobial, anti-inflammatory, antioxidant, and anticancer. Curcumin has a low solubility in water, is metabolized first by causing its bioavailability to decrease. This problem can be overcome by formulating curcumin into the form of a transethosome delivery system. Surfactant is one of the transethosome component that affect the physical properties and penetration of vesicles. In this study, a combination of two surfactants (Tween 60 and Span 60) was used to see the effect of using a combination of two surfactant on physical properties and penetration of curcumin.

Conclusion

Diffusion rate testing results show that the use of a surfactant combination can increase the diffusion rate of curcumin, where there is a significant differential between each formula (p<0.05).

Reference

Jantarat C. Bioavailability Enhancement Techniques of Herbal Medicine: A Case Example of Curcumin. International Journal of Pharmacy and Pharmaceutical Sciences 2012; 5 Suppl 1:493-500.

Shaji J, Bajaj R. Transethosomes: A New Prospect for Enhanced Transdermal Delivery. International Journal of Pharmaceutical Sciences and Research 2018; 9 Suppl 7:2681-5

Method and Result

This study used a combination of tween 60 and span 60 with a concentration ratio 0:5 (F1), 1:1 (F2), 2:1 (F3) and 1:2 (F4) was used to form transethosome of curcumin. The evaluations performed on the transethosome include: testing the distribution of particle size, zeta potential and entrapment efficiency in the system. Evaluation continued with the determination of the diffusion rate. The transethosome system formed has a particle size of 167.9±4.7 nm - 396±3.7 nm with a potential zeta value (-) 49.54±1.77 mV - (-) 59.05±0.95 mV, polydispersion index 0.0% - 57.1% and entrapment efficiency of 83.76% - 93.75%. The cumulative amount of curcumin diffused through the millipore membrane of F1, F2, F3, and F4 for 8 hours (Table 3). The results of the cumulative amount of curcumin showed that the surfactant combination provides better penetration ability compared to a single surfactant.

Table 1: Formulation of Transethosome Curcumin

6	OI	4	ω	2	_		2
Aquades ad	Ethanol	Span 60	Tween 60	Lechitin	Curcumin	material	Material
100	30	U	ı	10	_	7	
100	30	2.5	2.5	10	_	F2	Form
100	30	1.67	3.33	10	_	F3	Formula (%)
100	30	3.33	1.67	10	_	F4	




Fig 1: Profile of diffused cumulative amount of curcumin

http://farmasi.unpad.ac.id/ispst2020











THE 4th INTERNATIONAL SEMINAR ON PHARMACEUTICAL SCIENCE AND TECHNOLOGY

>> About

The 4th ISPST 2020 is a biennial seminar which a continuation of the 3rd ISPST which has been held in 2018. This seminar gives the latest finding in the area related to pharmaceutical science and technology, poster discussion about current research trends, and establish new collaborations. ISPST is a forum for students, researchers, educators, observers, and practitioners from university, research institutions, industry, and general public to exchange ideas and latest information in the field of pharmaceutical science, technology, and engineering.

>> Theme

"Future Prospective In The Transformation of Pharmaceutical Research Into Applicable Industry"



Due to Covid-19 Pandemic, the conference will be conducted online (Webinar). Keynote and invited speakers will do live presentation.



Tuesday - Wednesday, October 27th - 28th, 2020

October 12th, 2020 Registration & payment closed July 10th, 2020 Abstract notification March 1st, 2020 Registration starts, Abstract submission

>> Seminar fees

Category	Conference Fees
Student	IDR 250,000
Academic/professional	IDR 500,000
International	\$ 50

>> Keynote speakers

- Prof. Tomoya Uehara (Chiba University, Japan) Expertise on Radiopharmaceuticals.
- Dr. Hien Duong (The University of Sydney, Australia)
 Expertise on Nanomaterial for Drug Delivery.

>> Invited speakers

- Assoc. Prof. Pornchai Rojsitthisak, Ph.D. (Chulalongkorn University, Thailand) *
 - Expertise on Design, Chemical Kinetics and Pharmacokinetics.
- Mary Jho-Anne T. Corpuz, Ph.D. (Santo Tomas University, Phillipines)
 - Expertise on Cancer Chemopreventive Potentials of Natural Products in-vitro and in-vivo.
- Prof. Dr. Yahdiana Harahap, M.S., Apt. (University of Indonesia & President of Asian Federation for Pharmaceutical Science, Indonesia)
 - Expertise on Bioanalysis and DNA-Adduct Analysis.
- Dr. Nyi Mekar Saptarini M.Si., Apt. (Faculty of Pharmacy, Universitas Padjadjaran)
 - Expertise on Enzyme Isolation from Natural Resources
- Dr. Sriwidodo M.Si., Apt. (Faculty of Pharmacy, Universitas Padjadjaran)
 - Expertise on Protein Therapeutic hEGF Nanoparticle Drugs Delivery
 - * Under Confirmation

>> Please transfer to

Bank BNI Perguruan Tinggi Bandung Account No.: 0440246374 Account Name: Rina Fajri Nuwarda

Swift Code (for international transfer): BNINIDJAUPB

>> Online registration

http://farmasi.unpad.ac.id/ispst2020

>> Collaboration journals

- Journal of Advanced Pharmacy Education and Research (Q3 scopus indexed)
- Journal of Pharmacy and Bioallied Sciences (Q3 scopus indexed)
- (Q3 Scopus Indexed)
- Orug Invention Today (Q4 scopus indexed)
- Indonesian Journal of Pharmaceutical Science and Technology (S2 sinta indexed)

>> In Collaboration with:
















PHARMACEUTICAL SCIENCE AND TECHNOLOGY

"FUTURE PROSPECTIVE IN THE TRANSFORMATION OF PHARMACEUTICAL RESEARCH INTO APPLICABLE INDUSTRY"



STEERING COMMITTEE

DEAN OF FACULTY OF PHARMACY UNIVERSITAS PADJADJARAN

Prof. Dr. apt. Ajeng Diantini, M.Si.

ADVISORY BOARD

Prof. Dr. apt. Resmi Mustarichie. M.Sc. apt. Muchtaridi, M.Si., Ph.D.

CHAIRWOMAN

Dr. apt. Nyi Mekar Saptarini, M.Si

VICE CHAIRMAN

Dr. apt. Sriwidodo, M.Si Dr. apt. Tiana Milanda, M.Si

SCIENTIFIC COMMITTEE

Dr. apt. Aliya Nur Hasanah, M.Si apt. Mutakin., M.Si., Ph.D apt. Iyan Sopyan, M.Si apt. Raden Bayu Indradi, M.Si

SECRETARIATE

Dr. apt. Rimadani Pratiwi, M.Si Driyanti Rahayu, M.T Dr. Ade Zuhrotun, M.Si Intan Timur Maisyarah, M.Si., Ph.D

TREASURER

Rina Fajri Nuwarda, M.Sc apt. Ayu Shalihat, M.Si

SUPPORTING TEAM

Dr. apt. Febrina Amelia Saputri, M.Farm Dr. apt. Ida Musfiroh, M.Si Dr. apt. Sandra Megantara, M.Farm apt. Nasrul Wathoni, Ph.D

apt. Holis Abd. Holik, M.Si., Ph.D

apt. Danni Ramdhani, M.Si.

apt. Insan Sunan Kumiawan, M.KM.

A	th.	B	P	S	Г
4					

SCHEDULE OF 4th INTERNATIONAL SEMINAR ON PHARMACEUTICAL SCIENCES AND TECHNOLOGY 27th -28th OCTOBER, 2020

Western Indonesian Time	Tuesday, October 27th 2020 Event	Moderator
08.30-09.00	Opening speech Dean of Faculty of Pharmacy Chairwoman of the 4th ISPST	
09.00-09.45	Keynote speaker: Prof. Tomoya Uehara (Japan)	Holis Abd Holik, Ph.D.
09.45-10.00	Poster presentation	
10.00-10.30	Invited speaker: Assoc. Prof. Pomchai Rojsitthisak, Ph.D (Thailand)	Dr. Aliya Nur Hasanah
10.30-11.00	Prof. Dr. Yahdiana Harahap (Indonesia)	•
11.00-11.30	Dr. Nyi Mekar Saptarini (Indonesia)	
11.30-11.45	Discussion	
11.45-13.00	Parallel session (Split into 6 rooms)	

Western Indonesian Time	Wednesday, October 28th 2020 Event	Moderator
08.30-09.15	Keynote speaker: Dr. Hien Duong (Australia)	Dr. Ida Musfiroh
09.15-09.30	Poster presentation (1 poster/min)	
09.30-10.00	Mary Jho-Anne T. Corpuz, Ph.D. (Phillipines)	Dr. Iyan Sopyan
10.00-10.30	Raymond R. Tjandrawinata, Ph.D. (Indonesia)	
10.30-11.00	Dr. Sriwidodo (Indonesia)	
11.00-11.15	Discussion	
11.15-11.25	Poster presentation	
11.25-12.40	Parallel session (Split into 6 rooms)	
12.40-13.00	Closing ceremony: announcement of best poster & oral presenter	

4th ISPST

TIME SCHEDULE (POSTER PRESENTATION)

Day 1

Tuesday, 27th October 2020 09.45-10.00

NO	CODE	PRESENTER NAME	ABSTRACT TITLE
1	PP001	RISKA PRASETIAWATI	MOLECULAR DOCKING STUDY OF ANTHOCYANIDIN COMPOUNDS AGAINST EPIDERMALGROWTH FACTOR RECEPTOR (EGFR)
			AS ANTI-LUNG CANCER
2	PP003	FITRIANTI DARUSMAN	PERCUTANEOUS DIFFUSION STUDY OF THE INCLUSION COMPLEX IBUPROFEN-B- CYCLODEXTRIN
3	PP007	IRMA FRIKA HERAWATI	ANTIOXIDANT ACTIVITY FROM FTHANOL
-			EXTRACT AND FRACTION HEMIGRAPHIS
			COLORATA Hall. F. LEAVES USING DPPH
4	PP010	HESTI RIASARI, M.SI.,	HISTOCHEMICAL INVESTIGATION OF Archidendron
		APT	bubaltrum (Jack) Nielsen.) FROM LAMPUNG.
			SUMATERA. INDONESIA
5	PP012	EKY SYAHRONI	COMPUTATIONAL STUDY OF MAGAININ AS AN
			ANTIMICROBIAL PEPTIDES TARGETING SARS-
			COV-2 SPIKE PROTEIN FOR PROMISING COVID-19 DRUG CANDID ATES
- 6	PP013	TANISA MACHEIRA	STRUCTURAL ANALYSIS OF PHTHALOCYANINE
_		SYARZA	ON HASA PROTEIN IN SERRATIA MARCESCENS
			AS A PHOTODYNAMIC ANTIMICROBIAL THERAPY
			CANDIDATE
7	PP014	MOHAMAD NURKAMAL	IMPLEMENTATION OF FUZZY LOCIC
		FAUZAN	CONTROLLERS TO MAINTAIN WATER TEMPERATURE IN HYDROPONICS NET FOR
			LOLLO VERDE LETUCCE (Lactuca sativa L.)
8	PP017	DESAK MADE MALINI	ANTIDIABETIC EFFECTIVENESS OF ETHANOL
			EXTRACT OF Archidendron Pauciflorum FRUIT PEEL
			ON THE TESTICULAR STRUCTURE OF
			Streptozotocin-INDUCED DIABETIC RATS (Rattus
0	PP018	TYEM SHAHTRA	Norvegicus) ANTIHYPERTENSIVE ACTIVITY TEST OF MATOA
9	PPUIS	TTEM STATUAL	LEAVES (POMETIA PINNATA J.R. & G. FORSTER)
			EXTRACT AND FRACTIONS IN MALE RATS
			INDUCTED ANGIOTENSIN II WITH PARAMETERS
			RENIN AND ANGIOTENSIN II LEVELS
10	PP019	FITH KHAIRA NURSAL	ENHANCING THE LIPOPHILICITY OF SODIUM
			ASCORBYL PHOSPHATE THROUGH THE
			FORMATION OF MIXED SURFACTANTS

4th ISPST

International Seminar on Pharmacetical Science and Technology

NO	CODE	PRESENTER NAME	ABSTRACT TITLE
11	PP020	DENY PURIYANI	PREPARATION AND EVALUATION OF CO-
		AZHARY	PROCESSED EXCIPIENT HPMC-PREGELATINIZED
			CANNA STARCH FOR DIRECT COMPRESSION
			TABLET
12	PP021	KAMELIA AGUSTINI	QUANTITATIVE ANALYSIS OF DRUG PLANNING
			FOR PATIENTS BPJS HEALTH CARE ROAD WITH
			CONSUMPTION METHOD IN PHARMACEUTICAL
			INSTALLATION ONE OF THE REGIONAL GENERAL
			HOSPITALS IN BANDUNG DISTRICT
13	PP022	PRATIWI	LENGTH OF FERMENTATION WITH TOTAL
		APRIDAMAYANTI	PHENOL CONTENT, TOTAL FLAVONOIDS
			CONTENT AND ANTIOXIDANT ACTIVITY IN THE
			MANUFACTURE OF FERMENTED A. malacencis
		_	LEAF TEA
14	PP023	YENNI PUSPITA	FORMULATION AND PHYSICAL EVALUATION OF
		TANJUNG	EDIBLE FILM PREPARATIONS FROM ETHANOL
			EXTRACT OF BETEL LEAVES (Piper betle L) FOR
			CANKER SORE DRUGS
15	PP024	TITA NOFIANTI	ANTIDIABETIC AND ANTIOXIDANT ACTIVITIES
			OF KLUTUK BANANA (Musa balbistana Colla) PEEL
			SUBFRACTIONS

Day 2

Wednesday, 28th October 2020 Section 1 : 09.15-09.30

NO	CODE	PRESENTER NAME	ABSTRACT TITLE
1	PP025	TITA NOFIANTI	COMPARISON OF ANTIHYPERGLYCEMIC ACTIVITY OF DIFFERENT PARTS OF KLUTUK BANANA (Musa balbisiana Colla)
2	PP026	RIRIN PUSPADEWI	OPTIMIZATION OF Lactobactilus plantarum ACTIVITIES IN THE BIOSINTHESIS OF LIPASE ENZYMES
3	PP027	RIANI TANJUNG	COST-EFFECTIVENESS ANALYSIS OF PROLANIS OF TYPE 2 DIABETIC PATIENTS IN THREE COMMUNITY HEALTH CENTERS IN BANDUNG, INDONESIA
4	PP035	MENTARI LUTHFIKA DEWI	EFFECTIVE INHIBITION OF MPRO SARS-COV-2 INFECTION BY RESVERATROL IN RED GRAPE SEEDS THROUGH MOLECULAR DOCKING APPROACHES

NO	CODE	PRESENTER NAME	ABSTRACT TITLE
5	PP037	ATHINA MARDATILLAH	THE EXPLORATION OF OTHER BIOACTIVE COMPOUNDS IN THE CHLOROFORM FRACTION OF SAPPAN WOODS (Caesalpinia sappan L)
6	PP042	TAUFIK MUHAMMAD FAKIH	EVALUATION OF THE MOLECULAR INTERACTION FOR ANTITUBERCULOSIS AND B-CYCLODEXTRIN COMPLEXATION THROUGH MOLECULAR DOCKING STUDIES
7	PP043	KARTIAWATI ALIPIN	CYTOTOXICITY EXTRACTS COMBINATION OF Curcuma xanthorrhiza AND Averrhoa bilimbi FRUITS ON HeLa AND MDA-MB-231 CELL LINES
00	PP045	SHENDI SURYANA	INTERACTION BINDING STUDY OF SALMETEROL WITH FUNCTIONAL MONOMERS USING SEMI EMPIRICAL METHOD TO DESIGN AN IMPRINTED POLYMER OF SALMETEROL XINAFOATE
9	PP046	TINA ROSTINAWATI	OPTIMATION OF GENE ENCODING ANTI HER2 scFv [pD861-pelB] OVEREXPRESSION IN Escherichia coli BL21(DE3)
10	PP047	IDA MUSFIROH	MOLECULAR DYNAMIC SIMULATION OF ASIATIC ACID DERIVATIVES COMPLEX WITH INDUCIBLE NITRIC OXIDE SYHTHASE ENZYME AS AN ANTI INFLAMMATORY
11	PP049	DAVID SARONO PUTRO	THE EFFECT OF VOLUME VARIATION OF SWEET ORANGE (Citrus sinessis) JUICE AND PEEL EXTRACT COMBINATION TOWARD THE CHARACTERISTIC AND ANTIBACTERIAL ACTIVITY OF NANOSILVER.
12	PP051	HILDA APRILIA WISNUWARDHANI	THE EFFICACY OF CYCLODEXTRIN AS MOUTHRINSES ACTIVE COMPOUND AGAINST SARS-COV-2 MPRO IN PREVENTING COVID-19 INFECTION THROUGH MOLECULAR DOCKING STUDY
13	PP052	ANISA AMALIA	PHYSICAL PROPERTIES AND RATE OF DIFFUSION TRANSETHOSOME CURCUMIN USING COMBINATION OF TWEEN 60 AND SPAN 60 AS SURFACTANT
14	PP053	NINING	PHYSICAL CHARACTERIZATION AND RELEASE KINETICS OF METHACRYLIC-COATED NANO- PHYTOSOME ENCAPSULATING ALLICIN-RICH EXTRACT
15	PP054	RIMADANI PRATTWI	PAPER-BASED COLORIMETRIC DEVICE FOR DETECTING ALLOPURINOL IN TRADITIONAL MEDICINE BY ENZYMATIC REACTION

PHYSICAL PROPERTIES AND RATE OF DIFFUSION TRANSETHOSOME CURCUMIN USING COMBINATION OF TWEEN 60 AND SPAN 60 AS SURFACTANT

Anisa Amalia¹, Yudi Srifiana¹, Amalia Anwar¹

¹Faculty Farmasi and Sains, Universitas Muhammadiyah Prof. DR. HAMKA, Jalan Delima IL/IV Perumnas Klender, Jakarta Timur 13460

e-mail address of corresponding author: anisa amalia@uhamka.ac.id

ABSTRACT

Curcumin penetration can be increased by formulating it into the transethosome system. Surfactant is one of the transethosome component that affect the physical properties and penetration of vesicles. In this study a combination of two surfactants was used so that it could be seen the effect of using a combination of two surfactant on physical properties and penetration of curcumin. In this study used a combination of tween 60 and span 60 with a concentration ratio 0:5 (F1), 1:1 (F2), 2:1 (F3) and 1:2 (F4). In the system then an evaluation which included testing the distribution of particle size, zeta potential and entrapment efficiency. Evaluation continued with the determination of the diffusion rate in vitro. The transethosome system formed has a particle size of 167.9 ± 4.7 nm -396 ± 3.7 nm with a potential zeta value (-) 49.54 ± 1.77 mV - (-) 59.05 ± 0.95 mV, polydispersion index 0.0% - 57.1% and entrapment efficiency of 83.76% - 93.75%. Diffusion rate testing results show the use of a combination of surfactant can increase the diffusion rat of curcumin.

Keywords: Curcumin, transethosome, surfactant, physical properties, diffusion rate.

References:

- Abdulbaqi M.I., Darwis Y., Khan N.A., Assi R.A., and Arshad A. Khan., 2016, Ethosomal Nanocarriers: The Impact of Constituents and Formulation Techniques on Ethosomal Properties, In Vivo Studies, and Clinical Trials. Internazional Journal of Medicine, 11: 2279 – 2304.
- Chen Z., Xia Y., Liao S., Huang Y., Li Y., He Y., Tong Z., Li B., 2014, Thermal Degradation Kinetics Study of Curcumin with Nonlinier Methods, Food Chemistry, 155: 81-86.
- Das S., A. Chaudhury, 2011, Recent Advances in Lipid Nanoparticle Formulation with Solid Matrix for Oral Drug Delivery, AAPS PharmSciTech, 12(1): 62-76.